# Data Sheet\_RASSEGNA



Latest revision: November 2022

An operational collection in a fully padded version or with a mesh back completed with cantilever models. It can be used in any office or meeting space thanks to its comprehensive range, design and available coverings.

# COMPONENTS



# **RASSEGNA (PADDED OPERATIVE CHAIR)**

# **SWIVEL BASE**

Available in two kinds:

- (PLN6) Black nylon base, 700 mm diameter, 5 spokes.
- (ALC12) Polished die-cast aluminium base, 700 mm diameter, 5 spokes.

### WHEELS

Black nylon castors (65 mm diameter) with zinc-coated steel pin, snap-fit. Rubberized wheels optional. (OPTIONAL) Polyamide feet interchangeable with the wheels with the same pin for fixing to the base.

# **ELEVATION**

All the gas columns comply with the DIN 4550 standard and exceed the 4th level.

# **MECHANISMS**

- (GY) Gas Syncron (weight-sensitive)

Mechanism with a synchronous seat-back movement which can be blocked in 5 positions.

With this mechanism you can:

- automatic adjustment of backrest tension according to body weight;
- -- adjust the height of the gas piston;
- push the button on the lever for lock or unlock the synchron movement seat / backrest with antishock system;
- -- rotate the seat 360°.
- (GYT) Gas Syncron (weight-sensitive) Translator Mechanism with a synchronous seat-back movement which can be blocked in 5 positions.

With this mechanism you can:

- automatic adjustment of backrest tension according to body weight;
- -- adjust the height of the gas piston;
- push the button on the lever for lock or unlock the synchron movement seat / backrest with antishock system;
- -- rotate the seat 360°.
- -- adjust seat depth, with 4 positions.

### **ARMRESTS**

- (B3D) "T" shaped armrest with adjustable height and depth, made from black polypropylene, black



stirrup and black swivel pad. OPTIONAL

- (B1D) "T" shaped armrest with adjustable height, made from black polypropylene, black stirrup and black pad.
- (B4D) "T" shaped armrest with adjustable height width and depth, made from black polypropylene, black stirrup and black swivel pad.

# SEAT

Supporting structure made from multi-layer beech wood, covered with a 40mm thick non-deformable polyurethane cold foam with a density 50 kg/m<sup>3</sup>

# **BACKREST**

Supporting structure made from polypropylene, covered with a 45mm thick non-deformable polyurethane cold foam with a density 52 kg/m3 Backrest with adjustable height with UP & DOWN system (70mm strocke).

# **UPHOLSTERY**

Finishes and colours available in the LAS Colours Samples Card.



# DIMENSIONS



UPHOLSTERY	FEATURES	AVAILABILITY
Poli		•
Ecopelle		•
Crepe		•
Time		•
Stretch		•
Melange		•
Trevi		•
Lana		
Crazy by Flukso		•
Chili by Gabriel		•
Nautilus		
Taylor by Flukso		•
Go Check by Gabriel		•
Crisp by Gabriel		•
Grain by Gabriel		•
Nabucco		
Pelle		
Customer fabric		•



SHIPPING SPECIFICATION	FIRE-RETARDANT TEST	FABRIC RESISTANCE TEST
Chairs without armrests	For specification, please you see the color samples card.	For specification, please you see the color samples card.
<ul> <li>Pcs. 1</li> <li>m³ 0,310</li> <li>Kg 20</li> </ul>	Contact us for more information.	Contact us for more information.
Chair with armrests Pcs. 1 m³ 0,310 Kg 21	<del>-</del>	



### **GENERAL INFORMATION**

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;

Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.

Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.

Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.

Choose the correct wheels for the type of floor on which the chair will be used.

Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.

Wheels should be cleaned from time to time with gauze to remove fluff and dust.

### USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects. Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

### **CLEANING AND MAINTENANCE**

As a general rule, we recommend using cleaning products that do not harm the environment.

Follow the manufacturer's instructions for cleaning products.

Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

POLI - CREPE - TREVI - STRETCH - MELANGE - LANA - CRISP - TIME - NAUTILUS - GRAIN - NABUCCO

Per una normale pulizia usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare.

Usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare. Rimuovere tempestivamente residui di cibo ed eventuali macchie di olio, latte e bevande. Tamponare tempestivamente con carta assorbente e spazzolare delicatamente con acqua e sapone neutro o soluzioni d'acqua ed alcol al 20%. AVVERTENZE GENERALI: I rimedi indicati risultano efficaci nel 90% dei casi. La mancanza di tempestività nell'azione rende la pulizia meno efficace, con conseguente permanenza di aloni.

## GO CHECK - CHILI - RETE ROUND - RETE BREAK - RETE GABRIEL- RETE NORDIC

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains. Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

# **ECOPELLE - CRAZY**

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary. Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

# PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.

Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.

Any stains can be removed using a white cloth dampened with water and neutral soap.

After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.

Do not dry in direct sunlight or with hair dryer.

# **METALS (STEEL OR ALUMINIUM)**

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.

Do not use solvents or acids. Dry with a dry cotton cloth.

Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

# PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.

Dry with a cotton cloth. Avoid using solvents.

# PHASING OUT AND DISPOSAL OF THE PRODUCT



The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions. Exposed parts such as:

Covering warranty 3 (three) years
Padding warranty 2 (two) years
The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.
For all other aspects consult the current price list

# LAS MOBILI s.r.l.

Via dell'Industria, 81 64018 Tortoreto (TE) – Italy Tel. +39 0861 7831 Fax +39 0861 786851 las@las.it – www.las.it

# Data Sheet\_RASSEGNA Rete



Latest revision: November 2022

An operational collection with a mesh backrest with cantilever models. It can be used in any office or meeting space thanks to its comprehensive range, design and available coverings.

# COMPONENTS



### **SWIVEL BASE**

Available in two kinds:

- (PLN6) Black nylon base, 700 mm diameter, 5 spokes.
- (ALC12) Polished die-cast aluminium base, 700 mm diameter, 5 spokes.

### WHEELS

Black nylon castors (65 mm diameter) with zinc-coated steel pin, snap-fit. Rubberized wheels optional.

(OPTIONAL) Polyamide feet interchangeable with the wheels with the same pin for fixing to the base.

### FI FVATION

All the gas columns comply with the DIN 4550 standard and exceed the 4th level.

# **MECHANISMS**

- (GY) Gas Syncron (weight-sensitive)

Mechanism with a synchronous seat-back movement which can be blocked in 5 positions.

With this mechanism you can:

- automatic adjustment of backrest tension according to body weight:
- -- adjust the height of the gas piston;
- push the button on the lever for lock or unlock the synchron movement seat / backrest with antishock system;
- -- rotate the seat 360°.
- (GYT) Gas Syncron (weight-sensitive) Translator Mechanism with a synchronous seat-back movement which can be blocked in 5 positions.

With this mechanism you can:

- automatic adjustment of backrest tension according to body weight;
- -- adjust the height of the gas piston;
- push the button on the lever for lock or unlock the synchron movement seat / backrest with antishock system;
- -- rotate the seat 360°.
- -- adjust seat depth, with 4 positions.



# ARMRESTS



- (B3D) "T" shaped armrest with adjustable height and depth, made from black polypropylene, black stirrup and black swivel pad.

# OPTIONAL:

- (B1D) "T" shaped armrest with adjustable height, made from black polypropylene, black stirrup and black pad.
- (B4D) "T" shaped armrest with adjustable height width and depth, made from black polypropylene, black stirrup and black swivel pad.

# **SEAT**

Supporting structure made from multi-layer beech wood, covered with a 40mm thick non-deformable polyurethane cold foam with a density  $50 \text{ kg/m}^3$ 

# **BACKREST**

High resistance structure realized in black nylon strengthened. The backrest has got a nylon lumbar support with adjustable height for a personalized comfort. The backrest is covered with black mesh (R2 - RETE BREAK).

# **HEADREST (OPTIONAL)**

Frame made from black nylon, covered with with a 11mm thick non-deformable polyurethane expanded rubber with a density 60 kg/m<sup>3</sup>.

# **UPHOLSTERY**

Finishes and colors available in the LAS Colors Samples Card.







UPHOLSTERY	FEATURES	AVAILABILITY
Poli		•
Ecopelle		•
Crepe	**	•
Time	**	•
Stretch	**	•
Melange	**	•
Trevi	**	•
Lana		
Crazy by Flukso	**	•
Chili by Gabriel	**	•
Nautilus		
Taylor by Flukso	**	•
Go Check by Gabriel	**	•
Crisp by Gabriel	**	•
Grain by Gabriel		•
Nabucco	**	
Pelle		
Customer fabric		•

BACKREST MESH FEATURES AVAILABILITY



R2- Rete BREAK	•
----------------	---

SHIPPING	SPECIFICATION	FIRE-RETARDANT TEST	FABRIC RESISTANCE TEST
	Chair without armrests	For specification, please you see the color samples card.	For specification, please you see the color samples card.
• 1	Pcs. 1	Contact us for more information.	Contact us for more information.
• 1	m³ 0,310		
•	Kg 17		
(	Chair with armrests	_	
•	Pcs. 1		
• 1	m³ 0,310		
• 1	Kg 18		



### **GENERAL INFORMATION**

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;

Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.

Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.

Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.

Choose the correct wheels for the type of floor on which the chair will be used.

Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.

Wheels should be cleaned from time to time with gauze to remove fluff and dust.

### USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects. Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

### **CLEANING AND MAINTENANCE**

As a general rule, we recommend using cleaning products that do not harm the environment.

Follow the manufacturer's instructions for cleaning products.

Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

POLI - CREPE - TREVI - STRETCH - MELANGE - LANA - CRISP - TIME - NAUTILUS - GRAIN - NABUCCO

Per una normale pulizia usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare.

Usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare. Rimuovere tempestivamente residui di cibo ed eventuali macchie di olio, latte e bevande. Tamponare tempestivamente con carta assorbente e spazzolare delicatamente con acqua e sapone neutro o soluzioni d'acqua ed alcol al 20%. AVVERTENZE GENERALI: I rimedi indicati risultano efficaci nel 90% dei casi. La mancanza di tempestività nell'azione rende la pulizia meno efficace, con conseguente permanenza di aloni.

## GO CHECK - CHILI - RETE ROUND - RETE BREAK - RETE GABRIEL- RETE NORDIC

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains. Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

# **ECOPELLE - CRAZY**

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary. Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

# PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.

Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.

Any stains can be removed using a white cloth dampened with water and neutral soap.

After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.

Do not dry in direct sunlight or with hair dryer.

# **METALS (STEEL OR ALUMINIUM)**

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.

Do not use solvents or acids. Dry with a dry cotton cloth.

Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

# PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.

Dry with a cotton cloth. Avoid using solvents.

# PHASING OUT AND DISPOSAL OF THE PRODUCT



The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions. Exposed parts such as:

Covering warranty 3 (three) years
Padding warranty 2 (two) years
The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.
For all other aspects consult the current price list

# LAS MOBILI s.r.l.

Via dell'Industria, 81 64018 Tortoreto (TE) – Italy Tel. +39 0861 7831 Fax +39 0861 786851 las@las.it – www.las.it

# Data Sheet\_RASSEGNA



Latest revision: November 2022

An operational collection in a fully padded version completed with cantilever models. It can be used in any office or meeting space thanks to its comprehensive range, design and available coverings.

The cantilever seat comes in two frame versions, black and chrome, which further expand the possibilities of use and combination, making it the perfect choice in any context.

# COMPONENTS



# RASSEGNA (SLED CHAIR WITH PADDED BACKREST)

### **SLED FRAME**

Metal tubular structure, diameter 22 mm, in varnished black or polished chrome plated finish, with black polypropylene pad. Plastic glides.

# SEAT

Supporting structure made from polypropylene, covered with a 30mm thick non-deformable polyurethane cold foam with a density  $50\ kg/m^3$ .

# **BACKREST**

Supporting structure made from polypropylene, covered with a 25mm thick non-deformable polyurethane cold foam with a density  $50\ kg/m^3$ .

# **UPHOLSTERY**

Finishes and colours available in the LAS Colours Samples Card.



# DIMENSIONS



FEATURES	AVAILABILITY
	•
	•
**	•
**	•
	•
	•
**	•
	•
**	•
**	•
**	•
	•
	•
**	
	•
	FEATURES

SHIPPING SPECIFICATION	FIRE-RETARDANT TEST	FABRIC RESISTANCE TEST
Sled chair	For specification, please you see the color samples card. Contact us for more information.	For specification, please you see the color samples card. Contact us for more information.



### **GENERAL INFORMATION**

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;

Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.

Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.

Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.

Choose the correct wheels for the type of floor on which the chair will be used.

Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.

Wheels should be cleaned from time to time with gauze to remove fluff and dust.

### USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects. Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

### **CLEANING AND MAINTENANCE**

As a general rule, we recommend using cleaning products that do not harm the environment.

Follow the manufacturer's instructions for cleaning products.

Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

### FARRICS

POLI - CREPE - TREVI - STRETCH - MELANGE - LANA - CRISP - TIME - NAUTILUS - GRAIN - NABUCCO

Per una normale pulizia usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare.

### TAYLOR F.R

Usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare. Rimuovere tempestivamente residui di cibo ed eventuali macchie di olio, latte e bevande. Tamponare tempestivamente con carta assorbente e spazzolare delicatamente con acqua e sapone neutro o soluzioni d'acqua ed alcol al 20%. AVVERTENZE GENERALI: I rimedi indicati risultano efficaci nel 90% dei casi. La mancanza di tempestività nell'azione rende la pulizia meno efficace, con conseguente permanenza di aloni.

## GO CHECK - CHILI - RETE ROUND - RETE BREAK - RETE GABRIEL- RETE NORDIC

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains. Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

### **ECOPELLE - CRAZY**

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary. Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

# PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.

Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.

Any stains can be removed using a white cloth dampened with water and neutral soap.

After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.

Do not dry in direct sunlight or with hair dryer.

# **METALS (STEEL OR ALUMINIUM)**

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.

Do not use solvents or acids. Dry with a dry cotton cloth.

Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

## PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.

Dry with a cotton cloth. Avoid using solvents.

# PHASING OUT AND DISPOSAL OF THE PRODUCT




The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions. Exposed parts such as:

Covering warranty 3 (three) years
Padding warranty 2 (two) years
The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.
For all other aspects consult the current price list

# LAS MOBILI s.r.l.

Via dell'Industria, 81 64018 Tortoreto (TE) – Italy Tel. +39 0861 7831 Fax +39 0861 786851 las@las.it – www.las.it





Latest revision: November 2022

An operational collection with a mesh backrest with cantilever models. It can be used in any office or meeting space thanks to its comprehensive range, design and available coverings.

The cantilever seat comes in two frame versions, black and chrome, which further expand the possibilities of use and combination, making it the perfect choice in any context.

# **COMPONENTS**



# RASSEGNA RETE (SLED CHAIR WITH MESH BACKREST)

### **SLED FRAME**

Metal tubular structure, diameter 22 mm, in varnished black or polished chrome plated finish, with black polypropylene pad. Plastic glides.

# **SEAT**

Supporting structure made from polypropylene, covered with a 30mm thick non-deformable polyurethane cold foam with a density  $50 \text{ kg/m}^3$ .

# **BACKREST**

High resistance structure realized in black nylon strengthened. The backrest is covered with black mesh (R2 – RETE BREAK).

# **UPHOLSTERY**

Finishes and colours available in the LAS Colours Samples Card.



# DIMENSIONS



UPHOLSTERY	FEATURES	AVAILABILITY
Poli		•
Ecopelle		•
Crepe	*	•
Time	**	•
Stretch	*	•
Melange		•
Trevi		•
Lana		
Crazy by Flukso	**	•
Chili by Gabriel	**	•
Nautilus		
Taylor by Flukso	*	•
Go Check by Gabriel		•
Crisp by Gabriel		•
Grain by Gabriel		•
Nabucco	**	
Pelle		
Customer fabric		•



BACKREST MESH	FEATURES	AVAILABILITY
R2- Rete BREAK		•

SHIPPI	NG SPECIFICATION	FIRE-RETARDANT TEST	FABRIC RESISTANCE TEST
	Chair with sled base	For specification, please you see the color	For specification, please you see the color samples
•	Pcs. 1	samples card.	card.
•	m³ 0,400	Contact us for more information.	Contact us for more information.
•	Kg 11,7		



### **GENERAL INFORMATION**

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;

Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.

Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.

Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.

Choose the correct wheels for the type of floor on which the chair will be used.

Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.

Wheels should be cleaned from time to time with gauze to remove fluff and dust.

### USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects. Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

### **CLEANING AND MAINTENANCE**

As a general rule, we recommend using cleaning products that do not harm the environment.

Follow the manufacturer's instructions for cleaning products.

Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

POLI - CREPE - TREVI - STRETCH - MELANGE - LANA - CRISP - TIME - NAUTILUS - GRAIN - NABUCCO

Per una normale pulizia usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare.

Usare con regolarità l'aspirapolvere a beccuccio liscio, senza spazzolare. Rimuovere tempestivamente residui di cibo ed eventuali macchie di olio, latte e bevande. Tamponare tempestivamente con carta assorbente e spazzolare delicatamente con acqua e sapone neutro o soluzioni d'acqua ed alcol al 20%. AVVERTENZE GENERALI: I rimedi indicati risultano efficaci nel 90% dei casi. La mancanza di tempestività nell'azione rende la pulizia meno efficace, con conseguente permanenza di aloni.

## GO CHECK - CHILI - RETE ROUND - RETE BREAK - RETE GABRIEL- RETE NORDIC

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains. Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

### **ECOPELLE - CRAZY**

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary. Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

# PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.

Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.

Any stains can be removed using a white cloth dampened with water and neutral soap.

After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.

Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.

Do not dry in direct sunlight or with hair dryer.

# **METALS (STEEL OR ALUMINIUM)**

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.

Do not use solvents or acids. Dry with a dry cotton cloth.

Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

## PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.

Dry with a cotton cloth. Avoid using solvents.

# PHASING OUT AND DISPOSAL OF THE PRODUCT



The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions. Exposed parts such as:

Covering warranty 3 (three) years
Padding warranty 2 (two) years
The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.
For all other aspects consult the current price list

# LAS MOBILI s.r.l.

Via dell'Industria, 81 64018 Tortoreto (TE) – Italy Tel. +39 0861 7831 Fax +39 0861 786851 las@las.it – www.las.it